

LANARTEX srl

Via I Maggio, 27 59013 Oste - Montemurlo (PO)

Tel.: 0574-071701 Fax: 0574-899903

e-mail: labo@lanartex.it Internet: www.lanartex.it





LAB N° 0572

MESSRS: ABITEX SRL VIA E. FERMI, 9/11 35010 CADONEGHE (PD) ITALIA REPORT NR.
REPORT DATE
ACCEPTANCE DATE
START TEST DATE
END TEST DATE
SAMPLING BY CUSTOMER

1803059-002 12/09/2018 06/08/2018 06/08/2018 12/09/2018

TEST REPORT

SAMPLE DESCRIPTION

PALENA

THE REPORT IS MADE BY THE FOLLOWING TESTS:

TEST METHOD ACCREDIA

6012002 Assessment of the ignitability of upholstery fabric - Match

BS 5852-1:1979

Technical Manager

Dott.ssa Valentina Guidotti

alumine Juistai

Managing Director

Patrizia Rosati

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

MD 026/15 - 28/07/2016 Pagina 1\3



LANARTEX srl

Via I Maggio, 27 59013 Oste - Montemurlo (PO)

Tel.: 0574-071701 Fax: 0574-899903

e-mail: labo@lanartex.it Internet: www.lanartex.it





LAB N° 0572

TEST REPORT

MESSRS: ABITEX SRL VIA E. FERMI, 9/11 35010 CADONEGHE (PD) ITALIA

 REPORT NR.
 1803059-002

 REPORT DATE
 12/09/2018

 ACCEPTANCE DATE
 06/08/2018

 START TEST DATE
 06/08/2018

 END TEST DATE
 12/09/2018

 SAMPLING BY CUSTOMER

NOTES ANALYTICAL TESTS

6012002 Assessment of the ignitability of upholstery fabric - Match BS 5852-1:1979

The above test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use; The test is been executed according with Furnishings (Fire) (Safety) Regulations 1988 n°1324, amd in 1989, 1993 and 2010, Schedule 5 - Part 1 (i.s. 1); Acclimatization: At least 16 hours at 20 ± 5 °C e $50 \% \pm 20 \%$ RH; Ignition source (i.s.): Ignition source 1 - Match equivalent flame.

Filling material: PU non-FR (20-22 Kg/m3) SS20 supplied by the laboratory.

GENERAL NOTES

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it cant't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)
Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it

MD 026/15 - 28/07/2016 Pagina 2\3



LANARTEX srl

Via I Maggio, 27

59013 Oste - Montemurlo (PO)

Tel.: 0574-071701 Fax: 0574-899903

e-mail: labo@lanartex.it Internet: www.lanartex.it





LAB N° 0572

TEST REPORT

MESSRS: ABITEX SRL VIA E. FERMI, 9/11 35010 CADONEGHE (PD) ITALIA

 REPORT NR.
 1803059-002

 REPORT DATE
 12/09/2018

 ACCEPTANCE DATE
 06/08/2018

 START TEST DATE
 06/08/2018

 END TEST DATE
 12/09/2018

SAMPLING BY CUSTOMER

6012002 Assessment of the ignitability of upholstery fabric - Match Pretreatment Kind of sample	NONE COVER FABRIC	BS 5852-1:1979
Pretreatment Kind of sample		
Kind of sample		
·	COVED EARDIC	
	COVER FADRIC	
Test 1 - Combustion with flame s	0	
Test 1 - Progressive smouldering s	12	
Test 1 - Result	PASS	
Test 2 - Combustion with flame s	0	
Test 2 - Progressive smouldering s	13	
Test 2 - Result	PASS	

END OF REPORT

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

MD 026/15 - 28/07/2016 Pagina 3\3

^{(*) =} Test marked with asterisk are not accredited ACCREDIA.