

LANARTEX srl Via I Maggio, 27 59013 Oste - Montemurlo (PO) Tel.: 0574-071701 Fax: 0574-899903 e-mail: labo@lanartex.it Internet: www.lanartex.it





LAB N° 0572

MESSRS: ABITEX SRL VIA E. FERMI, 9/11 35010 CADONEGHE (PD) ITALIA

REPORT NR. REPORT DATE ACCEPTANCE DATE START TEST DATE END TEST DATE SAMPLING BY CUSTOMER

1803064-001 05/09/2018 06/08/2018 06/08/2018 05/09/2018

TEST REPORT

SAMPLE DESCRIPTION

SWEET LIFE WR

THE REPORT IS MADE BY THE FOLLOWING TESTS:

TEST

METHOD ACCREDIA 6012061 Assessment of the ignitability of upholstery fabric - Cigarette EN 1021-1:2014 6012071 Assessment of the ignitability of upholstery fabric - Match EN 1021-2:2014

Technical Manager

Dott.ssa Valentina Guidotti

alunia Juistati

Managing Director

Patrizia Rosati

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it cant't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

> LANARTEX srl; Via I Maggio, 27 - 59013 Oste - Montemurlo (PO) Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it



LANARTEX srl Via I Maggio, 27 59013 Oste - Montemurlo (PO) Tel.: 0574-071701 Fax: 0574-899903 e-mail: *labo@lanartex.it* Internet: www.lanartex.it





LAB Nº 0572

TEST REPORT

MESSRS: ABITEX SRL VIA E. FERMI, 9/11 35010 CADONEGHE (PD) ITALIA

REPORT NR.

REPORT DATE ACCEPTANCE DATE START TEST DATE END TEST DATE SAMPLING BY CUSTOMER **1803064-001 05/09/2018** 06/08/2018 05/09/2018

NOTES ANALYTICAL TESTS

| ٠ | 6012061 Assessment of the ignitability of upholstery fabric - | EN 1021-1:2014 |
|---|---|----------------|
| | Cigarette | |

The above test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use; Acclimatization: At least 24 hours at 23 ± 2 °C e 50 % ± 5 % RH; Ignition source (i.s.): Ignition source - Smouldering cigarette. Test Results: N.I. - Not Ignited, test is passed; S.I. - Smouldering ignition, F.I. - Flaming ignition, test is failed. Filling material: PU-FR (30-33 Kg/m3) supplied by the laboratory.

• 6012071 Assessment of the ignitability of upholstery fabric - Match EN 1021-2:2014

The above test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use; Acclimatization: At least 24 hours at 23 ± 2 °C e 50 % ± 5 % RH; Ignition source (i.s.): Ignition source - Match equivalent flame. Test Results: N.I. - Not Ignited, test is passed; S.I. - Smouldering ignition, F.I. - Flaming ignition, test is failed. Filling material: PU-FR (30-33 Kg/m3) supplied by the laboratory.

GENERAL NOTES

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it cant't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO) Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it



LANARTEX srl Via I Maggio, 27 59013 Oste - Montemurlo (PO) Tel.: 0574-071701 Fax: 0574-899903 e-mail: *labo@lanartex.it* Internet: www.lanartex.it





LAB Nº 0572

TEST REPORT

| MESSRS: | REPORT NR. | 1803064-001 |
|----------------------|----------------------|-------------|
| ABITEX SRL | REPORT DATE | 05/09/2018 |
| VIA E. FERMI, 9/11 | ACCEPTANCE DATE | 06/08/2018 |
| | START TEST DATE | 06/08/2018 |
| 35010 CADONEGHE (PD) | END TEST DATE | 05/09/2018 |
| ITALIA | SAMPLING BY CUSTOMER | |
| | | |

| Tests | M.U. | Results | Method |
|---|--------|--------------|----------------|
| 6012061 Assessment of the ignitability of upholstery fabric - Cigarette | | | EN 1021-1:2014 |
| Pretreatment | | NONE | |
| Kind of sample | | COVER FABRIC | |
| Test 1 - Smouldering criteria - Unsafe escalating combustion | Yes/No | NO | |
| Test 1 - Smouldering criteria - Test assembly consumed | Yes/No | NO | |
| Test 1 - Smouldering criteria - Smoulders to extremities | Yes/No | NO | |
| Test 1 - Smouldering criteria - Smoulders through thickness | Yes/No | NO | |
| Test 1 - Smouldering criteria - Smoulders more than 1 h | Yes/No | NO | |
| Test 1 - In final examination, presence of progressive | Yes/No | NO | |
| Test 1 - Flaming criteria - Occurrence of flames | Yes/No | NO | |
| Test 2 - Smouldering criteria - Unsafe escalating combustion | Yes/No | NO | |
| Test 2 - Smouldering criteria - Test assembly consumed | Yes/No | NO | |
| Test 2 - Smouldering criteria - Smoulders to extremities | Yes/No | NO | |
| Test 2 - Smouldering criteria - Smoulders through thickness | Yes/No | NO | |
| Test 2 - Smouldering criteria - Smoulders more than 1 h | Yes/No | NO | |
| Test 2 - In final examination, presence of progressive Smouldering | Yes/No | NO | |
| Test 2 - Flaming criteria - Occurrence of flames | Yes/No | NO | |
| Result | | N.I. | |
| 6012071 Assessment of the ignitability of upholstery fabric - Match | | | EN 1021-2:2014 |
| Pretreatment | | NONE | |
| Kind of sample | | COVER FABRIC | |
| Test 1 - Smouldering criteria - Unsafe escalating combustion | Yes/No | NO | |
| Test 1 - Smouldering criteria - Test assembly consumed | Yes/No | NO | |
| Test 1 - Smouldering criteria - Smoulders to extremities | Yes/No | NO | |
| Test 1 - Smouldering criteria - Smoulders through thickness | Yes/No | NO | |
| Test 1 - Smouldering criteria - Smoulders more than 1 h | Yes/No | NO | |
| Test 1 - In final examination, presence of progressive | Yes/No | NO | |
| Test 1 - Flaming criteria - Unsafe escalating combustion | Yes/No | NO | |

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it cant't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl; Via I Maggio, 27 – 59013 Oste - Montemurlo (PO)

Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it



LANARTEX srl Via I Maggio, 27 59013 Oste - Montemurlo (PO) Tel.: 0574-071701 Fax: 0574-899903 e-mail: *labo@lanartex.it* Internet: www.lanartex.it





LAB Nº 0572

TEST REPORT

REPORT NR. 1803064-001 **MESSRS:** REPORT DATE 05/09/2018 **ABITEX SRL** ACCEPTANCE DATE 06/08/2018 **VIA E. FERMI, 9/11** START TEST DATE 06/08/2018 35010 CADONEGHE (PD) END TEST DATE 05/09/2018 **ITALIA** SAMPLING BY CUSTOMER

| Tests | M.U. | Results | Method |
|--|--------|---------|--------|
| Test 1 - Flaming criteria - Test assembly consumed | Yes/No | NO | |
| Test 1 - Flaming criteria - Flames to extremities | Yes/No | NO | |
| Test 1 - Flaming criteria - Flames through thickness | Yes/No | NO | |
| Test 1 - Flaming criteria - Flames longer than 120 s | Yes/No | NO | |
| Test 2 - Smouldering criteria - Unsafe escalating combustion | Yes/No | NO | |
| Test 2 - Smouldering criteria - Test assembly consumed | Yes/No | NO | |
| Test 2 - Smouldering criteria - Smoulders to extremities | Yes/No | NO | |
| Test 2 - Smouldering criteria - Smoulders through thickness | Yes/No | NO | |
| Test 2 - Smouldering criteria - Smoulders more than 1 h | Yes/No | NO | |
| Test 2 - In final examination, presence of progressive Smouldering | Yes/No | NO | |
| Test 2 - Flaming criteria - Unsafe escalating combustion | Yes/No | NO | |
| Test 2 - Flaming criteria - Test assembly consumed | Yes/No | NO | |
| Test 2 - Flaming criteria - Flames to extremities | Yes/No | NO | |
| Test 2 - Flaming criteria - Flames through thickness | Yes/No | NO | |
| Test 2 - Flaming criteria - Flames longer than 120 s | Yes/No | NO | |
| Result | | N.I. | |

END OF REPORT

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it cant't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO) Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it