

LANARTEX srl

Via I Maggio, 27 59013 Oste - Montemurlo (PO)

Tel.: 0574-071701 Fax: 0574-899903

e-mail: labo@lanartex.it Internet: www.lanartex.it





LAB N° 0572

MESSRS: ABITEX SRL VIA E. FERMI, 9/11 35010 CADONEGHE (PD) ITALIA REPORT NR.
REPORT DATE
ACCEPTANCE DATE
START TEST DATE
END TEST DATE
SAMPLING BY CUSTOMER

1803081-003 05/09/2018 08/08/2018 08/08/2018 05/09/2018

## TEST REPORT

SAMPLE DESCRIPTION

TOUCH ME

THE REPORT IS MADE BY THE FOLLOWING TESTS:

TEST METHOD ACCREDIA

6011001 Ignitability of upholstery fabric - California test

TB 117:2013

**Technical Manager** 

Dott.ssa Valentina Guidotti

alumine Juistai

**Managing Director** 

Patrizia Rosati

(\*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

MD 026/15 - 28/07/2016 Pagina 1\3



LANARTEX srl

Via I Maggio, 27 59013 Oste - Montemurlo (PO)

Tel.: 0574-071701 Fax: 0574-899903

e-mail: labo@lanartex.it Internet: www.lanartex.it





LAB N° 0572

#### **TEST REPORT**

MESSRS: ABITEX SRL VIA E. FERMI, 9/11 35010 CADONEGHE (PD) ITALIA 

 REPORT NR.
 1803081-003

 REPORT DATE
 05/09/2018

 ACCEPTANCE DATE
 08/08/2018

 START TEST DATE
 08/08/2018

 END TEST DATE
 05/09/2018

 SAMPLING BY CUSTOMER

TB 117:2013

#### NOTES ANALYTICAL TESTS

6011001 Ignitability of upholstery fabric - California test

Acclimatization: At least 24 hours at 21±3 °C e <55 R.H. %.

Codes used:

SE: Self-extinguished;

SB45: Smolder beyond 45 min; TOF: Transitions to open flaming;

MNR: Measurement not recorded as smoldering exceeded 45 min or specimen transitioned to open flames.

The data are referred to TB 117:2013 - Section NR.1

Filling material: PU-nonFR (28-29,6 Kg/m3) supplied by the laboratory.

### **GENERAL NOTES**

(\*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it cant't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

 $LANARTEX\ srl\ ;\ Via\ I\ Maggio, 27\ -59013\ Oste\ -\ Montemurlo\ (PO)$   $Tel\ +39\ 0574\ 071701\ Fax\ +39\ 0574\ 899903\ e\ mail\ :\ labo@lanartex.it\ -\ web\ :\ www.lanartex.it$ 

MD 026/15 - 28/07/2016 Pagina 2\3



LANARTEX srl

Via I Maggio, 27

59013 Oste - Montemurlo (PO)

Tel.: 0574-071701 Fax: 0574-899903

e-mail: labo@lanartex.it Internet: www.lanartex.it





LAB N° 0572

# **TEST REPORT**

MESSRS: ABITEX SRL VIA E. FERMI, 9/11 35010 CADONEGHE (PD) ITALIA 

 REPORT NR.
 1803081-003

 REPORT DATE
 05/09/2018

 ACCEPTANCE DATE
 08/08/2018

 START TEST DATE
 08/08/2018

 END TEST DATE
 05/09/2018

 SAMPLING BY CUSTOMER

-----

Tools	84.11	Danulka	D.G. a.d.
Tests	M.U.	Results	Method
6011001 Ignitability of upholstery fabric - California			TB 117:2013
test			
Initial - Specimen 1 - Char length	inch	0,2	
Initial - Specimen 2 - Char length	inch	0,3	
Initial - Specimen 3 - Char length	inch	0,2	
Initial - Specimen 1 - SE	Yes/No	NO	
Initial - Specimen 2 - SE	Yes/No	NO	
Initial - Specimen 3 - SE	Yes/No	NO	
Initial - Specimen 1 - SB45	Yes/No	NO	
Initial - Specimen 2 - SB45	Yes/No	NO	
Initial - Specimen 3 - SB45	Yes/No	NO	
Initial - Specimen 1 - TOF	Yes/No	NO	
Initial - Specimen 2 - TOF	Yes/No	NO	
Initial - Specimen 3 - TOF	Yes/No	NO	
Final class		PASS	

**END OF REPORT** 

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obbligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

MD 026/15 - 28/07/2016 Pagina 3\3

<sup>(\*) =</sup> Test marked with asterisk are not accredited ACCREDIA.