

DEDALO Srl
Laboratorio di Ricerche ed Analisi

36071 - ARZIGNANO (Vicenza) - Via Vespucci, 7
Tel. 0444/452144 - Fax 0444/452155
email: info@dedalab.com
url: <http://www.dedalab.com>

Codice fiscale e Partita IVA n.00894730241
Iscriz. R.E.A. n.204688
Cap.Soc. € 10.400,00 i.v.

Spett.le
ABITEX Srl
Via E. Fermi, 9/11
Cadoneghe
35010 PD

Test Report N° R06276

Sheet n° 1 di 2

Sample Description


| | |
|---|-------------|
| Ricevimento/Ordination date | 24/11/2014 |
| Descrizione del campione/Sample description | ECO-PELLE |
| Articolo/Article | PALENA |
| Data campionamento/Sampling date | 24/11/2014 |
| Campionato da/Sampling by | Committente |
| Data fine analisi/Ending analysis date | 01/12/2014 |

| Parameter description | Um | Value | Method |
|-----------------------------|----------|-------|----------------------|
| Cigarette Test (California) | giudizio | Pass | TB117-A11@2013: 2013 |

Date 01/12/2014

Laboratory director
Dr. Renzo Padovan EurChem

- Laboratory acknowledge to analysis of asbestos for D.M. Health Care 7/7/97 and of foods (DDRUPVV 11/2014)
- Analytical dates above-stated refer only to the sample given to laboratory.
- The partial reproduction of this Test report is forbidden.



Technical Bulletin 117 - 2013

| Sezione: | | 1 - prova del rivestimento | | |
|----------|---|---|---|---|
| N° | Sorgente ignizione (<i>Ignition source</i>) (min) | Tempo di Estinzione di fiamme ed incandescenze (<i>Extinction time to solder</i>) (< 45 min) | Dimensione del danno (<i>a char from the cigarette</i>) (< 45 mm) | RISULTATI (RESULTS) (Passa/Fallisce) (<i>Pass/ Fail</i>) |
| 1 | 10 sigaretta spenta 2 volte | 15 | 28 | Pass |
| 2 | 11 sigaretta spenta 2 volte | 15 | 34 | Pass |
| 3 | 11 sigaretta spenta 2 volte | 15 | 21 | Pass |

- Laboratory acknowledge to analysis of asbestos for D.M. Health Care 7/7/97 and of foods (DDRUPVV 11/2014)
- Analytical dates above-stated refer only to the sample given to laboratory.
- The partial reproduction of this Test report is forbidden.