

**MESSRS:**  
**ABITEX SRL**  
**VIA CASALI 48**  
**33048 SAN GIOVANNI AL NATISONE (UD)**  
**ITALIA**

**REPORT NR.** 1800819-006  
**REPORT DATE** 09/03/2018  
**ACCEPTANCE DATE** 09/03/2018  
**START TEST DATE** 09/03/2018  
**END TEST DATE** 09/03/2018  
**SAMPLING BY CUSTOMER**

## TEST REPORT


SAMPLE DESCRIPTION OPERA 404 P.TA 88823512 P.ZA 232322

THE REPORT IS MADE BY THE FOLLOWING TESTS:

TEST	METHOD	ACCREDIA
6011001 Ignitability of upholstery fabric - California test	TB 117:2013	

Technical Manager

Dott.ssa Valentina Guidotti



Managing Director

Patrizia Rosati



(\*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)  
Tel +39 0574 071701 Fax +39 0574 899903 e mail : [labo@lanartex.it](mailto:labo@lanartex.it) - web : [www.lanartex.it](http://www.lanartex.it)

## TEST REPORT

**MESSRS:**  
**ABITEX SRL**  
**VIA CASALI 48**  
**33048 SAN GIOVANNI AL NATISONE (UD)**  
**ITALIA**

<b>REPORT NR.</b>	<b>1800819-006</b>
<b>REPORT DATE</b>	<b>09/03/2018</b>
ACCEPTANCE DATE	09/03/2018
START TEST DATE	09/03/2018
END TEST DATE	09/03/2018
SAMPLING BY CUSTOMER	

## NOTES ANALYTICAL TESTS

• **6011001 Ignitability of upholstery fabric - California test**

**TB 117:2013**

Acclimatization: At least 24 hours at  $21 \pm 3$  °C e <55 R.H. %.

Codes used:

SE: Self-extinguished;

SB45: Smolder beyond 45 min;

TOF: Transitions to open flaming;

MNR: Measurement not recorded as smoldering exceeded 45 min or specimen transitioned to open flames.

The data are referred to TB 117:2013 - Section NR.1

Filling material: PU-nonFR (28-29,6 Kg/m<sup>3</sup>) supplied by the laboratory.

## GENERAL NOTES

(\*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)  
Tel +39 0574 071701 Fax +39 0574 899903 e mail : [labo@lanartex.it](mailto:labo@lanartex.it) - web : [www.lanartex.it](http://www.lanartex.it)

## TEST REPORT

**MESSRS:**  
**ABITEX SRL**  
**VIA CASALI 48**  
**33048 SAN GIOVANNI AL NATISONE (UD)**  
**ITALIA**

**REPORT NR.** **1800819-006**  
**REPORT DATE** **09/03/2018**  
**ACCEPTANCE DATE** 09/03/2018  
**START TEST DATE** 09/03/2018  
**END TEST DATE** 09/03/2018  
**SAMPLING BY CUSTOMER**

Tests	M.U.	Results	Method
<b>6011001 Ignitability of upholstery fabric - California test</b>			TB 117:2013
Initial - Specimen 1 - Char length	inch	0	
Initial - Specimen 2 - Char length	inch	0,1	
Initial - Specimen 3 - Char length	inch	0,1	
Initial - Specimen 1 - SE	Yes/No	YES	
Initial - Specimen 2 - SE	Yes/No	YES	
Initial - Specimen 3 - SE	Yes/No	YES	
Initial - Specimen 1 - SB45	Yes/No	NO	
Initial - Specimen 2 - SB45	Yes/No	NO	
Initial - Specimen 3 - SB45	Yes/No	NO	
Initial - Specimen 1 - TOF	Yes/No	NO	
Initial - Specimen 2 - TOF	Yes/No	NO	
Initial - Specimen 3 - TOF	Yes/No	NO	
Replacement - Specimen 1 - Char length	inch	0,1	
Replacement - Specimen 2 - Char length	inch	0	
Replacement - Specimen 3 - Char length	inch	0,1	
Replacement - Specimen 1 - SE	Yes/No	YES	
Replacement - Specimen 2 - SE	Yes/No	YES	
Replacement - Specimen 1 - SE	Yes/No	YES	
Replacement - Specimen 1 - SB45	Yes/No	NO	
Replacement - Specimen 2 - SB45	Yes/No	NO	
Replacement - Specimen 2 - SB45	Yes/No	NO	
Replacement - Specimen 1 - TOF	Yes/No	NO	
Replacement - Specimen 2 - TOF	Yes/No	NO	
Replacement - Specimen 3 - TOF	Yes/No	NO	
Final class		PASS	

----- **END OF REPORT** -----

(\* ) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)  
 Tel +39 0574 071701 Fax +39 0574 899903 e mail : [labo@lanartex.it](mailto:labo@lanartex.it) - web : [www.lanartex.it](http://www.lanartex.it)